

References

- Abrantes, A. M., Battle, C. L., Strong, D. R., Ing, E., Dubreuil, M. E., Gordon, A., & Brown, R. A. (2011). Exercise preferences of patients in substance abuse treatment. *Mental Health and Physical Activity*, 4(2), 79–87. <https://doi.org/10.1016/j.mhpa.2011.08.002>
- Alcoholics Anonymous. (2019). *Alcoholics Anonymous*. Aa.org. <https://www.aa.org/>
- American Council on Exercise. (2011). *ACE Group fitness instructor master the manual: a study guide to accompany the ACE Group fitness instructor manual*. American Council on Exercise.
- American Council on Exercise. (2014). *McCardle Step Test*. www.acefitness.org.
<https://www.acefitness.org>
- Anonymous, A. (2008). *Alcoholics Anonymous big book*. Bn Publishing.
- Banerjee, N. (2014). Neurotransmitters in alcoholism: A review of neurobiological and genetic studies. *Indian Journal of Human Genetics*, 20(1), 20. <https://doi.org/10.4103/0971-6866.132750>
- Berg, K. (1989). Measuring balance in the elderly: preliminary development of an instrument. *Physiotherapy Canada*, 41(6), 304–311. <https://doi.org/10.3138/ptc.41.6.304>
- Biscontini, L. (2010). *Music Management: Effectively (and Legally) Unleash the Power of Music*. ACE Fitness. <https://www.acefitness.org/certifiednewsarticle/808/music-management-effectively-and-legally-unleash-the-power-of-music/>
- Bohannon, R. W., Bubela, D. J., Wang, Y.-C., Magasi, S. S., & Gershon, R. C. (2015). Six-Minute Walk Test Vs. Three-Minute Step Test for Measuring Functional Endurance. *Journal of Strength and Conditioning Research*, 29(11), 3240–3244.
<https://doi.org/10.1519/jsc.0000000000000253>

- Brown, R. A., Abrantes, A. M., Read, J. P., Marcus, B. H., Jakicic, J., Strong, D. R., Oakley, J. R., Ramsey, S. E., Kahler, C. W., Stuart, G. L., Dubreuil, M. E., & Gordon, A. A. (2010). A pilot study of aerobic exercise as an adjunctive treatment for drug dependence. *Mental Health and Physical Activity*, 3(1), 27–34. <https://doi.org/10.1016/j.mhpa.2010.03.001>
- Carcoba, L. M., Contreras, A. E., Cepeda-Benito, A., & Meagher, M. W. (2011). Negative Affect Heightens Opiate Withdrawal-Induced Hyperalgesia in Heroin Dependent Individuals. *Journal of Addictive Diseases*, 30(3), 258–270. <https://doi.org/10.1080/10550887.2011.581985>
- Chand, S. P., & Marwaha, R. (2020). *Anxiety*. PubMed; StatPearls Publishing. <https://www.ncbi.nlm.nih.gov/books/NBK470361/#:~:text=There%20is%20persistent%20and%20excessive>
- Chiesa, A., & Serretti, A. (2013). Are Mindfulness-Based Interventions Effective for Substance Use Disorders? A Systematic Review of the Evidence. *Substance Use & Misuse*, 49(5), 492–512. <https://doi.org/10.3109/10826084.2013.770027>
- Ciccarone, D. (2011). Stimulant Abuse: Pharmacology, Cocaine, Methamphetamine, Treatment, Attempts at Pharmacotherapy. *Primary Care: Clinics in Office Practice*, 38(1), 41–58. <https://doi.org/10.1016/j.pop.2010.11.004>
- Clapp, P., Wackernah, R., & Minnick, M. (2014). Alcohol use disorder: pathophysiology, effects, and pharmacologic options for treatment. *Substance Abuse and Rehabilitation*, 1. <https://doi.org/10.2147/sar.s37907>
- Clark, M. A., & Sports, O. (2014). *NASM essentials of corrective exercise training*. Burlington Jones & Bartlett.

- Crapanzano, K., Hammarlund, R., Ahmad, B., Hunsinger, N., & Kullar, R. (2018). The association between perceived stigma and substance use disorder treatment outcomes: a review. *Substance Abuse and Rehabilitation, Volume 10*, 1–12.
<https://doi.org/10.2147/sar.s183252>
- Dai, C.-L., Chen, C.-C., Richardson, G. B., & Gordon, H. R. D. (2020). Managing Substance Use Disorder through a Walking/Running Training Program. *Substance Abuse: Research and Treatment, 14*, 117822182093668. <https://doi.org/10.1177/1178221820936681>
- Diabetes Training and Technical Assistance Center. (2018). *Assessing Participants' Readiness to Change*.
<http://www.pphd.org/Site/Documents/NDPP/Assessing%20Readiness%20to%20Change%202016.pdf>
- Dieter, B. (2019, October). *Offering Nutrition Advice: The Dos and Don'ts*. Blog.nasm.org.
<https://blog.nasm.org/nutrition/offering-nutrition-advice>
- Drake, R. E., Mueser, K. T., & Brunette, M. F. (2007). Management of persons with co-occurring severe mental illness and substance use disorder: program implications. *World Psychiatry : Official Journal of the World Psychiatric Association (WPA)*, 6(3), 131–136.
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2174596/>
- El-Sayed, M. S., Ali, N., & El-Sayed Ali, Z. (2005). Interaction between alcohol and exercise: physiological and haematological implications. *Sports Medicine (Auckland, N.Z.)*, 35(3), 257–269. <https://doi.org/10.2165/00007256-200535030-00005>
- Farzam, K., Faizy, R. M., & Saadabadi, A. (2020). *Stimulants*. PubMed; StatPearls Publishing.
<https://www.ncbi.nlm.nih.gov/books/NBK539896/>

- Fein, G., & Greenstein, D. (2013). Gait and Balance Deficits in Chronic Alcoholics: No Improvement from 10 Weeks Through One Year Abstinence. *Alcoholism, Clinical and Experimental Research*, 37(1), 86–95. <https://doi.org/10.1111/j.1530-0277.2012.01851.x>
- Giménez-Meseguer, J., Tortosa-Martínez, J., & Cortell-Tormo, J. M. (2020). The Benefits of Physical Exercise on Mental Disorders and Quality of Life in Substance Use Disorders Patients. Systematic Review and Meta-Analysis. *International Journal of Environmental Research and Public Health*, 17(10), 3680. <https://doi.org/10.3390/ijerph17103680>
- Golden, N. (2020). *How to Run an Online Group Fitness Class [Guide]*. Blog.afaa.com. <https://blog.afaa.com/how-to-run-online-group-fitness-class>
- Health Information Privacy. (2019, January 4). *Health Information Privacy*. HHS.gov. <https://www.hhs.gov/hipaa/index.html>
- Heisz, J. J., Tejada, M. G. M., Paolucci, E. M., & Muir, C. (2016). Enjoyment for High-Intensity Interval Exercise Increases during the First Six Weeks of Training: Implications for Promoting Exercise Adherence in Sedentary Adults. *PLOS ONE*, 11(12), e0168534. <https://doi.org/10.1371/journal.pone.0168534>
- Hoyumpa, A. M. (1986). Mechanisms of Vitamin Deficiencies in Alcoholism. *Alcoholism: Clinical and Experimental Research*, 10(6), 573–581. <https://doi.org/10.1111/j.1530-0277.1986.tb05147.x>
- Huecker, M. R., Mohammadreza Azadfard, & Leaming, J. M. (2019, February 28). *Opioid Addiction*. Nih.gov; StatPearls Publishing. <https://www.ncbi.nlm.nih.gov/books/NBK448203/>
- Jain, A., & Mitra, P. (2020). *Bipolar Affective Disorder*. PubMed; StatPearls Publishing. <https://www.ncbi.nlm.nih.gov/books/NBK558998/>

- Jeynes, K. D., & Gibson, E. L. (2017). The importance of nutrition in aiding recovery from substance use disorders: A review. *Drug and Alcohol Dependence*, *179*, 229–239.
<https://doi.org/10.1016/j.drugalcdep.2017.07.006>
- Khoury, L., Tang, Y. L., Bradley, B., Cubells, J. F., & Ressler, K. J. (2010). Substance use, childhood traumatic experience, and Posttraumatic Stress Disorder in an urban civilian population. *Depression and Anxiety*, *27*(12), 1077–1086.
<https://doi.org/10.1002/da.20751>
- Kim, S., & Park, T. (2019). Acute and Chronic Effects of Cocaine on Cardiovascular Health. *International Journal of Molecular Sciences*, *20*(3), 584.
<https://doi.org/10.3390/ijms20030584>
- Kosten, T. R., & George, T. P. (2002). The neurobiology of opioid dependence: implications for treatment. *Science & Practice Perspectives*, *1*(1), 13–20.
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2851054/>
- Laudet, A. B. (2008). The Impact of Alcoholics Anonymous on other substance abuse related Twelve Step programs. *Recent Developments in Alcoholism: An Official Publication of the American Medical Society on Alcoholism, the Research Society on Alcoholism, and the National Council on Alcoholism*, *18*, 71–89.
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2613294/>
- Levy, R. S., Hebert, C. K., Munn, B. G., & Barrack, R. L. (1996). Drug and Alcohol Use in Orthopedic Trauma Patients: A Prospective Study. *Journal of Orthopaedic Trauma*, *10*(1), 21–27. <https://doi.org/10.1097/00005131-199601000-00004>

Lipari, R., & Van Horn, S. (2017). *Trends in Substance Use Disorders Among Adults Aged 18 or Older*. Samhsa.gov.

https://www.samhsa.gov/data/sites/default/files/report_2790/ShortReport-2790.html

Manassa Hany, Baryiah Rehman, & Chapman, J. (2019, June 22). *Schizophrenia*. Nih.gov;

StatPearls Publishing. <https://www.ncbi.nlm.nih.gov/books/NBK539864/>

Mansi Shah, & Huecker, M. R. (2019, June 4). *Opioid Withdrawal*. Nih.gov; StatPearls

Publishing. <https://www.ncbi.nlm.nih.gov/books/NBK526012/>

McGovern, M. P., Lambert-Harris, C., Gotham, H. J., Claus, R. E., & Xie, H. (2012). Dual

Diagnosis Capability in Mental Health and Addiction Treatment Services: An

Assessment of Programs Across Multiple State Systems. *Administration and Policy in*

Mental Health and Mental Health Services Research, 41(2), 205–214.

<https://doi.org/10.1007/s10488-012-0449-1>

McGRATH, R. P., WHITEHEAD, J. R., & CAINE, D. J. (2014). The Effects of Proprioceptive

Neuromuscular Facilitation Stretching on Post-Exercise Delayed Onset Muscle Soreness

in Young Adults. *International Journal of Exercise Science*, 7(1), 14–21.

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4831894/#:~:text=Participating%20in%20a%20progressive%20exercise>

MCLELLAN, A. T. (2017). Substance Misuse and Substance use Disorders: Why do they Matter in Healthcare? *Transactions of the American Clinical and Climatological Association*,

128, 112–130. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5525418/>

McLester, C. (2020, September 16). *Setting S.M.A.R.T. Fitness Goals to Overcome Mental*

Hurdles / NASM. Blog.nasm.org. <https://blog.nasm.org/setting-smart-fitness-goals>

Melemis, S. M. (2015). Relapse Prevention and the Five Rules of Recovery. *The Yale Journal of Biology and Medicine*, 88(3), 325–332.

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4553654/>

Mirijello, A., D'Angelo, C., Ferrulli, A., Vassallo, G., Antonelli, M., Caputo, F., Leggio, L., Gasbarrini, A., & Addolorato, G. (2015). Identification and Management of Alcohol Withdrawal Syndrome. *Drugs*, 75(4), 353–365. <https://doi.org/10.1007/s40265-015-0358-1>

Mitrović, S. M., Dickov, A., Vučković, N., Mitrović, D., & Budiša, D. (2011). The effect of heroin on verbal memory. *Psychiatria Danubina*, 23(1), 53–59.

<https://pubmed.ncbi.nlm.nih.gov/21448097/>

Moos, R. H., & Moos, B. S. (2006). Rates and predictors of relapse after natural and treated remission from alcohol use disorders. *Addiction*, 101(2), 212–222.

<https://doi.org/10.1111/j.1360-0443.2006.01310.x>

National Center for Biotechnology Information. (2011). *Chapter 2—How Stimulants Affect the Brain and Behavior*. Nih.gov; Substance Abuse and Mental Health Services

Administration (US). <https://www.ncbi.nlm.nih.gov/books/NBK64328/>

National Center for Complementary and Integrative Medicine. (2016, April). *Meditation: In*

Depth. NCCIH. <https://www.nccih.nih.gov/health/meditation-in-depth>

National Institute of Mental Health. (2019, October 28). *NIMH» Depression*. Nih.gov.

https://www.nimh.nih.gov/health/topics/depression/index.shtml#part_145397

National Institute on Drug Abuse. (2018). *What are the long-term effects of heroin use?*

Drugabuse.gov. <https://www.drugabuse.gov/publications/research-reports/heroin/what-are-long-term-effects-heroin-use>

- Newman, R. K., Stobart, M. A., & Gomez, A. E. (2019, October 27). *Alcohol Withdrawal*. Nih.gov; StatPearls Publishing. <https://www.ncbi.nlm.nih.gov/books/NBK441882/>
- Palmer, J., Vacc, N., & Epstein, J. (1988). Adult inpatient alcoholics: physical exercise as a treatment intervention. *Journal of Studies on Alcohol*, 49(5), 418–421. <https://doi.org/10.15288/jsa.1988.49.418>
- Ramirez, R. L., Perez, V. D. J., & Zamanian, R. T. (2018). Methamphetamine and the risk of pulmonary arterial hypertension. *Current Opinion in Pulmonary Medicine*, 24(5), 416–424. <https://doi.org/10.1097/mcp.0000000000000513>
- Rehm, J. (2011). The risks associated with alcohol use and alcoholism. *Alcohol Research & Health : The Journal of the National Institute on Alcohol Abuse and Alcoholism*, 34(2), 135–143. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3307043/>
- Rich, Angie. (2013, July 15). *Confidentiality Regulations FAQs*. Samhsa.gov. <https://www.samhsa.gov/about-us/who-we-are/laws-regulations/confidentiality-regulations-faqs>
- Robison, L. S., Alessi, L., & Thanos, P. K. (2018). Chronic forced exercise inhibits stress-induced reinstatement of cocaine conditioned place preference. *Behavioural Brain Research*, 353, 176–184. <https://doi.org/10.1016/j.bbr.2018.07.009>
- Simon, L., Jolley, S. E., & Molina, P. E. (2017). Alcoholic Myopathy: Pathophysiologic Mechanisms and Clinical Implications. *Alcohol Research: Current Reviews*, 38(2), 207–217. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5513686/>
- Wang, D., Wang, Y., Wang, Y., Li, R., & Zhou, C. (2014). Impact of Physical Exercise on Substance Use Disorders: A Meta-Analysis. *PLoS ONE*, 9(10), e110728. <https://doi.org/10.1371/journal.pone.0110728>

- Weinstock, J., Barry, D., & Petry, N. M. (2008). Exercise-related activities are associated with positive outcome in contingency management treatment for substance use disorders. *Addictive Behaviors, 33*(8), 1072–1075. <https://doi.org/10.1016/j.addbeh.2008.03.011>
- Weinstock, J., Wadeson, H. K., & VanHeest, J. L. (2012). Exercise as an Adjunct Treatment for Opiate Agonist Treatment: Review of the Current Research and Implementation Strategies. *Substance Abuse, 33*(4), 350–360. <https://doi.org/10.1080/08897077.2012.663327>
- Weir, K. (2011, December). The exercise effect. <https://www.apa.org>. <https://www.apa.org/monitor/2011/12/exercise>
- Woodyard, C. (2011). Exploring the therapeutic effects of yoga and its ability to increase quality of life. *International Journal of Yoga, 4*(2), 49. <https://doi.org/10.4103/0973-6131.85485>
- World Health Organization. (2009). *Withdrawal Management*. Nih.gov; World Health Organization. <https://www.ncbi.nlm.nih.gov/books/NBK310652/>
- Zgierska, A., Rabago, D., Chawla, N., Kushner, K., Koehler, R., & Marlatt, A. (2009). Mindfulness Meditation for Substance Use Disorders: A Systematic Review. *Substance Abuse, 30*(4), 266–294. <https://doi.org/10.1080/08897070903250019>
- Zschucke, E., Heinz, A., & Ströhle, A. (2012). Exercise and Physical Activity in the Therapy of Substance Use Disorders. *The Scientific World Journal, 2012*, 1–19. <https://doi.org/10.1100/2012/901741>